

by Emergency Operations Center, Department of Disease Control

Thailand situation update on 6 October 2020

1. International Situation

As of 6 October 2020, there were a total of 35,730,965 confirmed cases with 66,911 patients in critical condition and 1,046,484 COVID-19 deaths across more than 214 countries, two Special Administrative Regions of the People's Republic of China (Hong Kong and Macau), and on cruise ships. The ten countries with the most confirmed COVID-19 cases include: the United States (7,679,908), India (6,685,082), Brazil (4,940,499), Russia (1,237,504), Colombia (862,158), Spain (852,838), Peru (829,999), Argentina (809,728), Mexico (761,665), and South Africa (682,215). The 47th is the People's Republic of China (90,653 cases, as well as 5,125 and 46 cases in the Special Administrative Regions of Hong Kong and Macau, respectively).

2. The Disease Situation in Thailand

2.1 Surveillance Protocol for COVID-19

The accumulated data as of 5 October 2020 showed that 7,487,800 people had passed through the international ports of entry. Of those, 3,176 people met the case definition criteria of patients under investigation (PUI), as shown in Table 1.

Table 1: Screening passengers at ports of entry

Ports of Entry	Total number of screened people	Total number of PUI
Total number	7,487,800	3,176
Airport screening* (47,091 flights)	4,631,741	3,156
Seaports**	176,805	2
Ground ports***	2,363,561	18
Renewing passports at the Government Complex Commemorating His Majesty at Chaengwattana Road****	315,693	0

Remark: Includes data starting from *January 3rd, **January 1st, ***February 1st, ****January 30th

2.2 Situation of Patients with Suspected Symptoms of COVID-19 in Thailand.

On 6 October 2020 at 12.00, Thailand announced that 918 additional people met the criteria for PUI, raising the total to 456,703 PUI, as shown in Table 2.



by Emergency Operations Center, Department of Disease Control

<u>Table 2: Results of screening implementation to detect patients with suspected symptoms of COVID-19</u>

Situation	Total number of PUI
Total number of laboratory tests	884,113
People who met the PUI criteria	456,703
From the Active Case Finding	15,834
Returnees under state quarantine	81,676
People who did not meet the PUI criteria	329,900
Total number of people who met the criteria of patients under investigation (PUI)	456,703
Detected from ports of entry	3,176
Sought medical services on their own at hospitals (143,090 cases in private hospitals, and 310,349 cases in public hospitals)	453,439
Notified by hotel residences, the Erawan Medical Center, local universities, tour groups and U-Tapao	88
Confirmed cases	3,600
Recovered and discharged from hospitals	3,390
Undergoing Treatment	151
Deaths	59
Characteristics of Infection in Confirmed cases	3,600
Local Transmission	2,445
Imported Cases	1,155
- Designated Quarantine Places*	662

Notice: *Quarantine measures for travelers from abroad have been in effect since 3 April 2020

The median age of the confirmed cases is 36 years old (ranging from 1 month to 97 years old). 2,033 cases are male, and 1,567 cases are female (the ratio of male to female is 1.3:1). In terms of nationality, 3,181 cases are Thai, 410 cases are foreigners, and data is not available for the remaining 9 cases.



by Emergency Operations Center, Department of Disease Control

214 cases were reported with underlying diseases and 3,386 cases reported without any underlying disease. 40 cases were detected from the screening protocol at airports (one case was found within the group of Thai workers returning from Wuhan). 1,588 cases sought medical treatment by themselves, 662 cases were positive from the state quarantine supported by the government. A total of 55 confirmed cases were found from the active case finding measures.

3. Thailand Precautions

- Dr. Opart Karnkawinpong, Acting Director-General of the Department of Disease Control, issued policy on steering of the fiscal year 2021 implementation plan with a focus on enhancing the health security capacities in responding to the second wave of COVID-19 pandemic and emerging infectious diseases. All measures and actions must be based on a balance between public health, economy, social, politics, psychology as well as to reduce the public panic and regain the new normal way of life of the people as soon as possible.
- Dr. Suwannachai Wattanayingcharoenchai, Acting Director-General of the Department of Health delivered policy for the fiscal year 2021 plan implementation focusing on surveillance and prevention of COVID-19 outbreaks in vulnerable groups such as children and the elderly to reduce health impact in both short and long terms and to strengthen the health care services for quality of life.

4. Risk Communication to the Public

- In case of traveling to areas and across areas by public transport, the public transport operator must prepare the system and comply with the disease control measures, i.e. cleaning the vehicle, screening passengers, encouraging passengers to wear a mask, limiting bus services during certain periods, arranging distance between seats, and limiting the number of passengers. Customers must wear a mask at all times while traveling, refrain from talking and eating on public transport, and register each time they enter/leave the service area.
 - For other business places/enterprises, operators are recommended to keep the areas clean, encourage people to wear a mask, limit the number of customers in accordance with the COVID-19 control measures.
 - For people visiting crowded places or closed areas such as meeting rooms, department stores, and movie theatres, they are recommended to wear a mask, keep a distance of at least 1-2 meters from other people, and limit contact with other people to be only for a short period of time.
- Regularly wash hands with water and soap or use alcohol gel. Avoid touching your eyes, nose, and mouth with your hands.



by Emergency Operations Center, Department of Disease Control

- Do not use or share personal stuff with others (i.e. handkerchiefs, glasses, and towels) since pathogens causing respiratory disease can be transmitted to other people through secretions.
- Avoid eating raw food.